VWW.PROXY-UKRAINE.COM



Technical Data Sheet

Glue for Glass and Mirrors

Mounting adhesive based on silicone polymer. It is designed for gluing various types of mirrors including mosaic, glass, any objects having a glossy surface. It has excellent adhesion to most types of building surfaces (concrete, brick, plaster ceramics, granite, wood, plasterboard, etc.). The time of complete curing is 24-48 hours. It is elastic after curing. Glue does not violate the amalgam of mirrors.

DIRECTIONS FOR USE:

Clean the surface from dust, grease and other contaminants. Cut the cartridge tip and screw the nozzle tip, cut it in relation to the desired seam width. Using the gun put glue to the glass surface. The optimum bead width of 5 mm. Use at temperatures between +5°C to +40°C. Store in a cool, dry rooms and out of reach of children. Avoid direct sunlight and artificial radiation heaters.

PRECAUTIONARY MEASURES:

Harmful if inhaled. Irritating to eyes and skin. After contact with the sealant on the skin, rinse with water and, if necessary, consult a doctor.

The date of manufacture is indicated on the bottle.

Shelf life - 12 months.

WWW.PROXY-UKRAINE.COM



TECHNICAL DATA:

NO.	ltem	Data
1	Base	Oxime
2	Density	0,92-1,4 g/cm ³
3	Color	transparent
4	Skin formation	5-10 minutes
5	Cutting time (5mm bead)	12-24 hours
6	Curing time	24-48 hours
7	Elongation at break	>450%
8	Shelf life	12 months
9	Application temperature	from +5°C to +40°C
10	Temperature resistance	from -50°C to +180°C